



Just **Digital** Signage



43-Inch Portable Indoor Battery Powered LCD Screen

**Outdoor Option Available.*

A Portable Solution for any space.



Fully Portable

With a molded polymer rear, these displays are incredibly lightweight. Coupled with their sturdy castors, they can be effortlessly moved by a single person. The specialised castors are designed to minimize vibrations on uneven surfaces, thus protecting the internal components throughout their lifespan.

Tempered Anti-Glare

These displays feature a tempered glass front that has been specially treated to provide an anti-glare finish. This treatment effectively diffuses external light reflections without diminishing the screen's brightness, thus enhancing the readability of on-screen content.



Battery Powered Display

The integrated lithium-polymer battery offers an impressive 10 hours of runtime from a single charge. This allows you to display messages day and night without the need to recharge.


Integrated Android Media Player

The integrated Android media player enables you to effortlessly update on-screen content through USB plug and play.

Alternatively, you can upgrade your screen to be networked without requiring any additional hardware to unlock our cloud-based CMS software. If needed, third-party software can also be installed.



Portable Indoor A-Board Features



Brightness
1000cd/m²



Auto Brightness
Sensor



WiFi




7/24/365



Anti-reflective



Temperature
Operation -20-50°



Audio System




Silent Fan



Specifications

PANEL	Panel Model	43 inch TFT LED
	Max Resolution	1920×1080
	Aspect Ratio	16:09
	Pixel Pitch	0.4903×0.4903
	Viewing Angle	89/89/89/89
	Contrast Ratio	1200:1
	Brightness	1000 cd/m ²
	Response Time	26 ms
	Display Area (mm)	941.184×529.416
	Panel Size (mm)	973×565.8×29
	Screen Weight	9.5 kg
	Lamp Type	WLED
INTERNAL MEDIA PLAYER	CPU	Dual-core Cortex-A72 up to 1.8GHz and Quad-core Cortex-A53 up to 1.4GHz
	GPU	ARM Mali-T860
	RAM	LPDDR4 4GB
	ROM	32 GB Flash
	OS	Android 11
CONNECTOR	RJ45	×1
	USB	×2
CONNECTIVITY	LAN	RJ45 Port, 10/100M Ethernet
	WiFi	Built-in WiFi 802.11B/G/N/AC
	4G (Optional)	LTE
FILE SUPPORT	Video	AH.264, MKV, WMV9, MPEG 1/2/4,
	Image	HD Divx, Xvid, RM/RMVB;
	Audio	BMP, PNG, GIF, JPEG;
	Scrolling Text	MP3, WMA, WAV, AAC+, MP2 dec, Vorbis (Ogg), AC3, FLAC, APE, BSAC txt
TEMPERATURE CONTROLLER		Temperature Cooling fan can be set to start running when the whole temperature reached 60 °C

LEVEL OF PROTECTION		IP 54
DISPLAY MODE		Portrait
POWER		DC 29.4 V 88 W
SOUND		2x5 W
DIMENSION & WEIGHT	Machine Size Machine Weight Carton Size Carton Weight Wooden Size Wooden Weight	110.5x39.5x60.5 cm 57.5 kg 117x46x71 cm 67 kg 127x55x84 cm 95 kg
OTHER	Regulatory Approvals Warranty	CE, FCC, ROHS 2 years warranty





About Just Digital Signage

Whether you're looking for a simple digital signage solution to capture the attention of your audience, or need a complex, dynamic set-up that effectively communicates your message across multiple locations and mediums, our team will create a complete package that is the right fit for you.

From the initial consultation, to selection and installation of your hardware and software, right through to content creation and technical support, we partner with you to deliver a solution that will accelerate the growth and enhance the reputation of your organisation.



Supporting 100's of organisations across Australia,
just like yours

sales@justdigitalsignage.com.au | JustDigitalSignage.com.au | Ph 1300 339 873